

Risk Adjustment in R

6/29/15

Andrew Webster, ASA, MAAA

www.validatehealth.com

Agenda

- ▶ Introduction
 - ▶ What is risk adjustment?
 - ▶ Toy calculation
- ▶ Motivation
 - ▶ Why migrate to R?
- ▶ Calculation
 - ▶ Methodology
 - ▶ Large-scale computation results
- ▶ Next Steps & References

What is Risk Adjustment?

- ▶ Risk adjustment allows CMS to pay plans for the risk of the beneficiaries they enroll, instead of an average amount for Medicare beneficiaries.
 - ▶ By risk adjusting plan payments, CMS is able to make appropriate and accurate payments for enrollees with differences in expected costs.
 - ▶ Risk adjustment is used to adjust bidding and payment based on the health status and demographic characteristics of an enrollee.
 - ▶ Risk scores measure individual beneficiaries' relative risk and risk scores are used to adjust payments for each beneficiary's expected expenditures.
 - ▶ By risk adjusting plan bids, CMS is able to use standardized bids as base payments to plans.
- ▶ CMS provides a SAS software program for each of the CMS-HCC risk adjustment models that allows organizations to verify and predict risk scores. Users must have a SAS license to use the SAS program.

Toy Calculation

- ▶ An 83 year old man who originally became entitled to Medicare as disabled is diagnosed with pneumococcal pneumonia (ICD-9 code 481, HCC112).
 - ▶ Originally insured due to disability, OREC = 1
 - ▶ Originally disabled, male = 0.168
 - ▶ Pneumococcal Pneumonia, Emphysema, Lung Abscess, HCC112 = 0.249
 - ▶ Risk Score = (demographics) + 0.168+0.249

Why Migrate to R?


- ▶ Offer open source access to risk adjustment models in R versus only a SAS implementation
- ▶ Provide a unified framework for all diagnosis-based risk adjustment models
- ▶ Be lightning fast! ($\leq O(N)$ time in number of members)
- ▶ More elegant code than disparate SAS macros for different risk adjusters

Calculation Methodology

```
risk_factors <- cmshcc::icd9RiskAdjCMSHCC(DIAG, PERSON, cmshcc_list)
```

1. Demographics scoring
 - ▶ Uses the cut function to break ages into age bands
2. Diagnosis to Condition Category Mapping
 - ▶ Uses a call to *icd9Comorbid* and *Rcpp* from the *icd9* package to map individual diagnoses to diagnosis categories
3. Condition Category Hierarchies (Prevent double-counting)
 - ▶ Applies hierarchies through logical operations on column vectors
4. Interactions (Add “bonus” scoring for co-morbidities)
 - ▶ Applies interaction terms through logical operations on column vectors

Large-Scale Calculation Using cmshcc



Laptop Specifications:

- ▶ one core 1.70 GHz processor
- ▶ 6.00 GB RAM
- ▶ 64-bit Windows 8 Operating system

Next Steps

- ▶ Expand to other risk adjustment systems
 - ▶ Dutch risk adjustment?
- ▶ Extend to ICD-10 diagnosis set by 10/1/2015
- ▶ Incorporate machine learning to automatically generate optimal risk adjustment models

Download and give feedback at:

- ▶ `devtools::install_github("healthactuary/cmshcc")`

References

- ▶ Risk Adjustment Rules - <http://www.cms.gov/Regulations-and-Guidance/Guidance/Manuals/Downloads/mc86c07.pdf>
- ▶ Risk Adjustment Factor Values - <http://www.cms.gov/Medicare/Health-Plans/MedicareAdvtgSpecRateStats/downloads/Advance2014.pdf>
- ▶ Risk Adjustment SAS code - <http://www.cms.gov/Medicare/Health-Plans/MedicareAdvtgSpecRateStats/Risk-Adjustors.html>